Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
S147	71	(redundant or duplicat\$3 or mirror\$3) adj3 (backup) with (path or route or group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:13
S146	1747	(redundant or duplicat\$3 or mirror\$3) adj3 (backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/06/02 13:17
S148	44	S147 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:18
S151	0	(redundant or duplicat\$3 or mirror\$3) near2 (path or route or group) same (backup adj operation) same (fail\$4 or error or fault\$1 or unsuccessful\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:19
S149	59	(redundant or duplicat\$3 or mirror\$3) same (backup adj operation) same (fail\$4 or error or fault\$1 or unsuccessful\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:19
S150	30	S149 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02
S153	15	("4993030" "5212784" "5379374" "5513314" "5633999" "5638538" "5740397" "5802364" "5815649" "5828820" "5875478" "5893919" "5960216" "5987566" "6026454").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/02 13:33
S155	10	(second\$4) adj3(path or route or device) same (backup adj operation) same (fail\$4 or error or fault\$1 or unsuccessful\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:43

S152	5	(redundant or duplicat\$3 or	US-PGPUB	OR	ON	2005/06/02
		mirror\$3) same (path or route or group) same (backup adj operation) same (fail\$4 or error or fault\$1 or unsuccessful\$2)	; USPAT; EPO; JPO; DERWENT ; IBM_TDB			13:43
S156	21	S154 not S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:21
S158	1873100	(fail\$4 or error or fault\$1 or unsuccessful\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:22
S154	31	(second\$4) same (path or route or device) same (backup adj operation) same (fail\$4 or error or fault\$1 or unsuccessful\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON _.	2005/06/02 14:22
S157	556	(routes! or paths!) near5 (back\$lup or (backing adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:23
S162		S160 and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:24
S164	10	S163 and S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:30
S163	321	back\$1up near5 (framework or architecture)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/02 14:30
S160	101	S159 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:38

S167	57	S165 and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:39
S166	486917	(multiple or plurality) near5 (path or route or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:46
S159	240	S157 same S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:46
S171	2	S169 and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:47
S170	33	S159 and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:47
S173	11	("20020144069" "20020146035" "20020156942" "20020199073" "20030149830" "20030167312" "20030204597" "20030212700" "5113354" "5966733" "6650656").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/02 14:49
S172	1	("2002/0144069").URPN.	USPAT	OR	ON	2005/06/02 14:49
S169	544	across adj (multiple or plurality) near5 (path or route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:50
S176	41	S166 and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/06/02 14:52

S175	9	S166 same S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:52
S165	180	S163 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/06/02 14:52
S179	40	fail-over near5 backup	USPAT	OR	ON	2005/06/02 15:08
S178	170	("5155845").URPN.	USPAT	OR	ON	2005/06/02 15:08
S177	2	S176 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 15:08
S184		("6484206").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:25
S186	5	S185 and backup	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/02 16:31
S185	21	("5021949" "5023873" "5182748" "5636212" "5652908" "5793771" "5802258" "5838989" "5856981" "5918017" "5918022" "5933422" "5943481" "6044407" "6055224" "6098116" "6131125" "6134640" "6192409" "6226676" "6311222").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/02 16:31
S187	31	extended adj copy same (instruction or command) same backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/06/02 16:49
S180	35	S179 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:49

S174	73	extended adj copy same (instruction or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:49
S188	1	. S187 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:52
S161	3122	back\$1up near5 (command or message or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:52
S192	93	S191 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:53
S191	153	back\$1up with (set or plurality or multiple) near3 (commands! or messages! or instructions!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:53
S190	233	S189 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:53
S189	350	back\$1up same (set or plurality or multiple) near3 (commands! or messages! or instructions!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:53
S196	31	S195 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 10:19
S195	99	backup same reserv\$5 near5 (path or rout\$3 or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 10:19

S194	128	S193 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 10:19
S193	273	backup same reserv\$5 same (path or rout\$3 or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 10:19
S197		("3623014" "4396984" "4455605" "5404508" "5574863" "5594900" "5604862" "5608865" "5615329" "5619644" "5621884" "5644698" "5673382" "5680580" "5682513" "5692155" "5870537").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/03 11:41
S198	22	("6304980").URPN.	USPAT	OR	ON	2005/06/03 11:43
S199	6	("5418664" "5572659" "5673382" "6035412" "6304980" "6417977").PN.	US-PGPUB , USPAT; USOCR	OR	ON	2005/06/03 11:52
S200	23	("5572659").URPN.	USPAT	OR	ON	2005/06/03 11:54
S201		("20020049776" "20020103943" "5870537" "5901327" "6044444" "6052797" "6073209" "6088740" "6141701" "6157991" "6173377" "6189079" "6199074" "6247099" "6260124" "6304881" "6304980" "6308284" "6480970") PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/03 11:55
L6	574	(backup or (backing adj up) or archiv\$3) near4 manager and (switch\$3 or rout\$3 or resources) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:38
S6	96	S5 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:39

L7	39	(backup or (backing adj up) or archiv\$3) near4 manager same (switch\$3 or rout\$3 or resources) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:39
L10	35	18 not 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:43
L8	80	(backup or (backing adj up) or archiv\$3) near4 manag\$5 same (switch\$3 or rout\$3 or resources) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:46
L13	291	(backup or (backing adj up) or archiv\$3) same (switch or router) same (path or link or route or routing) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:48
L12	5	(backup or (backing adj up) or archiv\$3) near4 direct\$3 same (switch or router) same (path or link or route or routing) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:48
Lll	3	(backup or (backing adj up) or archiv\$3) near4 manag\$5 same (switch or router) same (path or link or route or routing) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:48
L9	45	18 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:48
L14	163	113 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/06 13:49
L17	41	115 not 116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:51

T 10	24	110 1 0 1 0 1 0 0 0 1 0 2 0 0 0	LIC DODIE	OP	ONI	2005/06/06
L19	. 26	118 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:00
L18	56	(backup or (backing adj up) or archiv\$3) same (switch or router) same form\$3 near5 (path or link or route or routing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:00
L16	57	115 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:00
L15	98	(backup or (backing adj up) or archiv\$3) same (switch or router) near5 select\$3 same (path or link or route or routing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:00
L20	17	("3623014" "4396984" "4455605" "5404508" "5574863" "5594900" "5604862" "5608865" "5615329" "5619644" "5621884" "5644698" "5673382" "5680580" "5682513" "5692155" "5870537").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/06/06 14:36
L22	17	(backup or (backing adj up) or archiv\$3) near4 manager and (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:31
L21	0	(backup or (backing adj up) or archiv\$3) near4 manager same (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:31
L24	0	(backup or (backing adj up) or archiv\$3) adj2 (request or operation) same (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:32
L23	5	(backup or (backing adj up) or archiv\$3) adj2 manager and (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:32

L25	4	(backup or (backing adj up) or archiv\$3) near2 (request or operation) same (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:33
L30	82	l28 and @ad<"20010329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:34
L28	163	(backup or (backing adj up)) adj2 (data or informatioN) and (switch\$3 or rout\$3 or path or link) near5 (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:34
L27	134	(backup or (backing adj up)) adj2 (data or informatioN) and (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:34
L26	161	(backup or (backing adj up) or archiv\$3) adj2 (data or informatioN) and (switch\$3 or rout\$3 or path or link) near5 (reserv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:34
S70	916	(711/162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:13
S68	1022	(707/204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:13
L32	1075	(711/162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:13
L31	1135	(707/204).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:13

L33	576	(709/239).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2005/06/06 16:14
			DERWENT ; IBM_TDB			